

Think Denmark

White papers for a green transition

GREATER WATER SECURITY WITH GROUNDWATER

Groundwater mapping and sustainable groundwater management

INSIDE THIS WHITE PAPER

Methods and tools for groundwater mapping and hydrogeological modelling

Policies and administration of groundwater resources

Benefits of investing groundwater supply and avoiding problems with groundwater

Groundwater as part of integrated water resources management



Greater water security with groundwater
Groundwater mapping and sustainable groundwater management

Version 2.1

Frontpage picture
SkyTEM technology for groundwater survey

About this white paper
This white paper is developed by the Rethink Water network in Denmark. The work is coordinated by the Danish Water Forum and State of Green.

The Rethink Water network consists of more than 60 technology and consulting companies, water utilities, water organisations and public authorities. It was established to support our partners internationally in developing the highest quality water solutions.

Technical Editors
Geological Surveys of Denmark and Greenland (GEUS) Richard Thomsen rth@geus.dk
Geological Surveys of Denmark and Greenland (GEUS) Verner Søndergaard vhs@geus.dk

Contributors
Alectia Flemming Pedersen ffp@alectia.com
COWI Anders Refsgaard anre@cowi.dk
Danish Nature Agency Philip Grønder Pedersen phgpe@nst.dk
DHI Torsten Vammen Jacobsen tvj@dhigroup.com
EnviDan Jens Dyrberg jdn@envidan.dk
The Geological Survey of Denmark and Greenland (GEUS) Richard Thomsen rth@geus.dk
The Geological Survey of Denmark and Greenland (GEUS) Verner Søndergaard vhs@geus.dk
I-GIS Torben Bach tob@i-gis.dk
Rambøll Peter Thomsen prt@ramboll.com
SkyTEM Surveys Flemming Effersø fe@skytem.com
Aarhus Geophysics Andrea Viezzoli andrea.viezzoli@aarhusgeo.com
Aarhus University Anders Vest Christiansen anders.vest@geo.au.dk

This white paper is based on the original work from previous versions 1.0 and 1.1 with Pia Klee, Danish Water Forum as editor in chief.

For more information
To order copies of this white paper or receive information about related publications,
please contact State of Green at info@stateofgreen.com

Executive summary

We face global water scarcity and insufficient access to clean drinking water. The use and protection of our groundwater resources is key to ensuring access to clean drinking water for the citizens of tomorrow.



**ESBEN LUNDE
LARSEN**
Danish Minister for
Environment and
Food
DENMARK

Providing enough fresh water for a growing population and for increasing industrial production is a critical issue in many countries. Climate change is affecting global rainfall patterns and water distribution. Since there is approximately 100 times more groundwater on Earth than fresh surface water, it makes sense to exploit groundwater as a source of water. In many parts of the world, especially in arid or seasonally dry regions, groundwater can provide a stable and sustainable source of high quality water.

Failed investments

There is a history of many failed investments in groundwater well fields. The most important cause has been the difficulty in assessing project feasibility and sustainability due to inadequate knowledge, data and tools. Sustainable exploitation requires that the main recharge areas are protected to ensure that aquifer replenishment comes from clean water.

Efficient methods and tools exist

Because of a relative shortage of surface water, Denmark has always relied heavily on groundwater. Danish companies are now among the world's leading experts in exploiting this resource. Groundwater can be located very efficiently, and groundwater management made sustainable with modelling and monitoring systems. Today there is great demand around the world for this expertise and the associated technologies, which include surveying tech-

niques, integrated water resource modelling and decision-making systems.

Multiple benefits from groundwater use

Groundwater is less exposed to pollution than surface water, the water quality is higher and it requires less treatment. Moreover, water utilities can benefit from planning long term. They can avoid major investment linked to surface water infrastructure and enjoy a higher level of water security. Groundwater mapping and sustainable groundwater management ensure improved knowledge of the availability of water resources, a critical factor in attracting new companies and industry. By investing in groundwater usage local business partners will develop their competence through knowledge transfer from international experts. This creates a strong platform for expanding the local water business to other regions.

Management must be integrated

It is important to understand that it only takes a few contaminants and/or an unbalanced approach to utilisation for groundwater resources to be damaged forever. Some of the critical issues or barriers can be addressed or resolved by accurate groundwater mapping and sustainable groundwater management, or with integrated water resources management. Groundwater is an important part of the hydrological cycle and should be managed in an integrated way with other water resources.

National pilot study, India In 2013, a pilot study in India maps groundwater aquifers in six different regions representing the complexity of Indian hydrogeology. The study is funded by the World Bank and the Indian Ministry of Water Resources. The goal is to develop a cost-effective approach to the exploration and management of the country's groundwater resources. If the pilot is successful, the project will be extended across India. Danish scientists and companies will be supporting their Indian colleagues in the collection, processing and interpretation of vast amounts of data and in building the tools for the sustainable management of India's groundwater resources. (Courtesy: Aarhus University, HydroGeophysics Group, and SkyTEM Surveys)





1. The right knowledge makes groundwater last forever	1
2. Methods and tools for mapping and hydrogeological modelling	4
3. Policies and administration of groundwater resources	9
4. The benefits of investing in groundwater supply	12
5. Avoiding problems with groundwater	14
6. Groundwater as a part of integrated water resources management	15
If you goal is smart and efficient water solutions, Denmark is ready as your partner	21

1. The right knowledge makes groundwater last forever

Groundwater resources are often overlooked. But for many countries groundwater exploitation can be carried out sustainably, and provide a reliable supply of water for current and future generations

RICHARD THOMSEN
Geophysicist and Hydrologist
The Geological Survey of Denmark and Greenland (GEUS)


Providing enough fresh water for a growing population and for increasing industrial production is a critical issue for many countries. Climate change is affecting global rainfall patterns and water distribution. Since there is approximately 100 times more groundwater than fresh surface water on Earth, it makes sense to exploit this important source of water. In many parts of the world, especially in arid or seasonally dry regions, groundwater can provide a stable and sustainable source of high-quality water.

Sustainable groundwater exploitation

Groundwater can be located very efficiently with advanced airborne geophysical mapping methods, and groundwater management can be achieved sustainably with groundwater modelling technologies and monitoring systems. The key is a credible groundwater model, which guards against over-extraction from the wells. Over-exploitation of the resource will come at the expense of future generations.

Mapping programme in Denmark

An ambitious groundwater mapping programme laid the foundation for the groundwater expertise of Danish companies. Today this expertise, which includes surveying technologies, software tools for integrated water resource modelling and decision-making systems is in global demand. The programme began in 1998 when the government adopted a plan for hydrogeological investigation. The aim was to produce an accurate picture of Danish aquifers with respect to their location, distribution, extension and interconnection and to produce




Classification Groundwater classification map with subdivision of Denmark into highly valuable, valuable, and less valuable groundwater-abstraction areas. (Courtesy: GEUS).

maps identifying the weak points in the system. Site-specific groundwater protection zones were established to prevent groundwater contamination from urban development and agricultural sources.


Summary of the Danish site-specific groundwater protection strategy:

- 1) Spatially dense hydrogeological mapping based on existing data supplemented with new geophysical surveys, drilling surveys, water sampling and hydrological modelling. The mapping is aimed at establishing site-specific protection zones. Vulnerability is interpreted in relation to the local hydrological and chemical conditions.

Water cycle The water cycle is an endless cycle where water runs from layers in the ground towards rivers, lakes and the sea. There it evaporates, falls from the sky as rain or snow and begins its journey again into the ground. To understand this process in detail, it is necessary to understand the factors that control the flow of water. Efficient mapping of groundwater and of the protection it needs are essential for optimal management of the resource. (Courtesy: GEUS)




Groundwater Resources of the World



Groundwater recharge The UNESCO Worldwide Hydro Geological Mapping and Assessment Programme has developed this map showing groundwater recharge in millimetres per year around the world. In areas where groundwater recharge is limited, and the geological conditions particularly complex, groundwater mapping and management based on hydrological models is essential for sustainable groundwater exploitation. (Source: www.whymap.org)

Groundwater resources

in major groundwater basins
in areas with complex hydrogeological structure
in areas with local and shallow aquifers



- 2) Mapping and assessment of all past, present, and possible future sources of contamination – both point sources and diffuse sources.
- 3) Development of an action plan with legally binding regulations for future land use in the groundwater protection zones.

Water vital for growth and welfare

The groundwater mapping programme in Denmark is financed directly by those using the water. Public and private water consumers pay an additional 0.04 euros per cubic metre of water (0.2 dollars per 1,000 US gallons). In 2015, when the programme ends, the total cost will have been around 250 million euros (325 million dollars) with more than 25 percent of the money spent on geophysical mapping. Other countries may not be equally ambitious, but investing in some sort of scheme for groundwater or surface water development is essential when facing constraints on water resources. An unre-

liable water supply will have a negative impact on a country's growth and welfare opportunities, since these are very closely correlated with water security.

Failed investments historically

Historically, there have been many failed investments in groundwater well fields. The most important cause has been the difficulty in assessing project feasibility and sustainability due to inadequate knowledge, data and tools. Since groundwater development and exploitation requires sizeable, long-term investment, there has to be a strong platform enabling a country or region to take the best decisions. Investments include the infrastructure around groundwater abstraction, and water treatment plants. The correct location of these facilities – taking into account the distribution of the groundwater, the consumers and the environment – is essential.

In addition, a groundwater aquifer responds very slowly to outside impacts. Sustainable exploitation requires that the main recharge areas are protected such that replenishment of the aquifer comes from uncontaminated water. To avoid unforeseen negative impacts or insufficient yields, an analysis of long-term development and variability of the climate and the hydrological system is required. It must include both the aquifers as they are and how they are likely to develop over time, as the groundwater is exploited. Furthermore, recharge areas must be mapped and included in future land planning to avoid contamination of the resource. Based on data collection, mapping, analytical tools and models, the resource availability and possible impacts are assessed to support groundwater development and decision making.



Strategic national investment plan, Senegal

As with many other countries in the developing world, Senegal faces a water crisis. Dakar, the coastal capital, risks losing its groundwater supply because of saltwater intrusion. Senegal's future development depends on a well-informed water sector strategy and optimising combined use of surface water and groundwater resources. The development of an integrated full 3D hydrological model has completely revised the understanding of Senegal's complex groundwater systems. Opportunities for water resource development have been identified to support a strategic investment plan, including analysis of socio-economic and environmental impacts. The hydrological model is a pioneering effort and is among the largest three-dimensional hydrological and salt-water intrusion models in the world today covering the entire Senegal. The Directorate for Water Resources Management and Planning in Senegal now has an integrated water resources management action plan, which will help it prepare for reform of the country's water sector. (Courtesy: COWI)

2. Methods and tools for mapping and hydrogeological modelling

Airborne data sampling can now generate a detailed 3D-picture of subsurface structures. But just as 3D brain scans require detailed analysis by experts, so airborne geophysics needs analysis and interpretation of data by professionals, in order to fully understand the geology

VERNER SONDERGAARD
Research Geophysicist
The Geological Survey of Denmark
and Greenland (GEUS)

The Danish government's decision to protect and secure Denmark's groundwater for future generations has led to new innovative methods and tools that today constitute a proven setup for conducting groundwater mapping on a large scale. Developments include new geophysical mapping methods, a unique geophysical database, world-class data processing tools and protocols, and innovative 3D geological modelling software. The advanced methods and tools are scientifically and internationally documented and are continuously being improved through tests and the establishment of new boreholes.

Mapping using two data sources

In most parts of the world groundwater mapping is based only on one data source: drilling information. However, low borehole density means that this strategy often leaves many uncertainties in the models. In Denmark, and a few other countries, geophysical measurements are used in conjunction with drilling to map aquifers. Intensive, large-scale use of geophysical methods, particularly airborne electromagnetic surveys in an integrated workflow together with drilling, makes mapping results more accurate and reliable.


Borehole data contributes significantly when mapping overall geology, but inevitably the density is low and most boreholes are quite shallow. Spatially dense geophysical measurements can be used to establish the basis of a hydrogeological model. Strategically located boreholes may then be drilled to confirm the geophysical data. They provide critical infor-

mation for translating interpretations of the geophysical data into a geological model. Used together, the two datasets multiply their respective descriptive and modelling capabilities.


Two methods, the electrical and the electromagnetic methods, are particularly useful among the geophysical methods since there are strong correlations between both the measured resistivity and the lithology of the subsurface, and between the resistivity values and water salinity. Thus, airborne mapping with electromagnetic methods provides detailed area-covering input for a geological model of the subsurface, at basin scale. The data density obtained over large areas using airborne surveys is many times greater than can be achieved with ground-based surveys, and magnitudes larger than that of drilling surveys.

Transient electromagnetic measurement

The SkyTEM system, developed in Denmark, is recognized as one of the best airborne transient electromagnetic measurement systems in the world, and the only system developed specifically to meet the high data quality requirements of hydrogeological mapping. Airborne survey methods produce data sets with a high lateral density. Typically, a survey is flown with parallel lines at a distance of 100-500 metres, depending on the target and the complexity of the geology. The in-line sounding distance is typi-



Groundwater model A hydrogeological model is a simplified description of a real geological system. Creating a perfect replica of the geology is impossible, because a geological system is extremely complicated. But creating a groundwater model using geological and geophysical surveys and drilling, though simplified, can support decision making in groundwater management. The more detailed and precise the input data is, the more realistic and useful the calculations of flow and storage of water in the underground system will be. (Courtesy: GEUS)



Airborne survey in one region of the USA In the Platte River area in Western Nebraska, in the US, ground and surface water management is needed due to a large demand for irrigation. Over several years, the United States Geological Survey contracted and oversaw airborne electromagnetic data acquisition and processing. Important parts of this process were carried out by Danish companies. The black line on the illustration shows what was estimated to be bottom of the aquifer bedrock prior to the airborne electromagnetic survey. After the survey a more accurate groundwater model was made and five million cubic meters of previously undetected groundwater was found. (Source: USGS Scientific Investigations Report: 2011-5219)



It is our experience that the acquisition of dense, accurate geophysical data, that is followed by rigorous processing procedures, adds valuable information to the existing knowledge of the hydrogeology and towards better management of the resources

ANDREA VIEZZOLI
 Director
AARHUS GEOPHYSICS

ally 20-40 metres with a depth of investigation more than 300 metres below the surface. The standard output is therefore a 3D description of the subsurface, from the subsurface to a depth of more than 300 metres, based on hundreds of data points per square kilometre. The quantitative geophysical results needed for the hydrogeological model are obtained applying rigorous protocols in terms of data acquisition, processing, inversion and data integration. Alongside the development of the SkyTEM system a dedicated data processing, inversion and visualisation system has been built, called the Aarhus Workbench.

Other geophysical methods

In order to improve the models, the airborne measurements are often supplemented by other measures, such as seismic measures to supply detailed structural information not obtained by the airborne methods, or the magnetic resonance sounding (MRS). Magnetic resonance sounding measures water content directly, and can distinguish salty groundwater from heavy clay, for example.

Other important mapping methods

Geophysical data is typically supplemented by other data. This includes new boreholes, pumping tests, groundwater head mapping, water mapping and soil chemistry mapping. New boreholes are drilled in areas where precise knowledge about the geological structure of the groundwater system is lacking. Pumping test analyses give valuable information about the hydrogeological structure of the system. Systematic mapping of the groundwater head is

used to determine flow patterns and the interaction between multiple aquifer systems and surface water systems. Groundwater chemistry mapping based on water samples from multiple boreholes provides information that can help with groundwater protection and may help shed light on the subsurface structure, thus helping with the interpretation of data from other sources.

Modelling

Geological, hydrogeological and hydrological as well as groundwater chemistry models are needed to identify groundwater protection areas, optimum well locations, sustainable water extraction levels and so on. These models are developed by combining airborne measurements, ground-based geophysical measurements and data from boreholes using a 3D modelling tool. This requires a multitude of skills and the experienced geological modeller combines an understanding of geophysical data, a knowledge of geological development processes and history, and a practical understanding of the nature of rock and soil. To facilitate model building, new geological modelling software has been developed, called GeoScene3D.

A consistent, documented and retraceable path leads from the first well drillings and airborne survey and groundwater chemistry data, through the processing and analysis, to the final model. It is crucial that the entire workflow, from collection of the electromagnetic measurement data to generation of the groundwater model, is carried out to the highest technical level and with the highest possible degree of accuracy, transparency and documentation.

Accuracy of mapping This diagram shows our understanding of the aquifer structures before and after geophysical mapping based on transient electromagnetic measurement in an area of Denmark. The survey revealed completely unknown aquifers in the area. Figure 1 shows our understanding of the aquifers based solely on well drilling. The dark blue areas reveal thick aquifers, while areas with no aquifer or a thin aquifer are shown with reddish colours. Figure 2 shows the same area after geophysical mapping by ground based TEM. The revised interpretation shows substantial differences in aquifer location, which have subsequently been verified by new boreholes. (Courtesy: GEUS)




Figure 1 - Map based on 518 boreholes






Figure 2 - Map based on 1,400 TEM soundings




Step 1 The SkyTEM airborne survey system has proved to be an invaluable aid in the large-scale mapping of groundwater resources in Denmark, and other countries, through the detailed mapping of the subsurface resistivity. The system transmits an electromagnetic signal towards the ground, and translates the signal it receives back into a resistivity model. (Courtesy: Aarhus University, HydroGeophysics Group and GEUS)



Step 2 The Aarhus Workbench software allows geophysicists to turn the SkyTEM raw data into accurate, transparent and well-documented 3D resistivity models of the subsurface, which are the geophysical basis for the groundwater mapping programme. The software is unique, as it was developed specifically for the hydro-geological application of airborne geophysical data. It incorporates tools for applying data processing and modelling protocols to ensure the results meet the quality required in groundwater mapping. (Courtesy: Aarhus Geophysics)


Step 3 When the geophysical data has been processed, and interpreted, specific structures in the subsurface can be identified. The task is to identify different layers and structures based on differences in electrical conductivity. Knowledge about the electrical properties of different sediments is crucial to distinguishing the various geophysical structures. This step relies heavily on information from boreholes in the area. Once the structures have been identified, geological modelling can be carried out, using the GeoScene3D tool. (Courtesy: GEUS)

3




Source: Jørgensen et al. 2012: Transboundary geo-physical mapping of geological elements and salinity distribution critical for the assessment of future sea water intrusion in response to sea level rise. Hydrology and Earth System Sciences, 1845-1862.

4



Step 4 In GeoScene3D both airborne and bore-hole data is collated in a 3D environment. The geologist, in collaboration with the hydrogeologist and hydrochemist, can now develop a geological model for the area being studied. The result is a model that can be used in groundwater flow calculations by applying hydrological modelling software, such as MikeShe, Modflow or FeFlow. (Courtesy: I-GIS)

5



Step 5 A groundwater model reveals how groundwater flow is determined by geological structures. All the necessary details for the groundwater model are exported directly from GeoScene3D into the hydrological modelling software. Calculations of groundwater flow path lines, to mention one example, are completely dependent on the quality of the input from the geological model especially when it comes to more complex subsurface geological structures. An example would be the incised valleys shown in the example here. (Courtesy: GEUS)

3. Policies and administration of groundwater resources

Groundwater mapping is the first step to a stable and sustainable water supply. But mapping requires good data collection and secure data management. More importantly still, there has to be the political will to protect groundwater resources

PHILIP GRINDER PEDERSEN
HEAD OF NATIONAL GROUNDWATER
MAPPING DIVISION
DANISH NATURE AGENCY

In order to obtain the best results, groundwater exploitation should always form part of a long term strategy, with sustainable groundwater supply a political priority and with the necessary resources allocated. In Denmark, both public and private water consumers pay 0.04 euros per cubic metre of water consumed (0.2 dollars per 1,000 US gallons). This money funds the groundwater mapping and management programme. Public entities have been appointed to ensure that the results of groundwater mapping are used to the best effect, and interpreted within a wider context.

Administration and management

Before initiating a groundwater mapping programme it is important to consider what the results will be used for, and how they will be used

in management of the water resources. It is particularly important to allocate resources for an administration that will ensure data collection and interpretation, and determine which public authorities will be responsible for the administration.

National databases and standards

In order to draw the necessary conclusions from survey data, the data must be available, reliable and accurate. National databases are essential for storing data and results securely. If they are made easily accessible they can also be of great value in the future. Data has to be stored in a well-documented and consistent manner. Uniform standards and guidelines exist and should be referred to, to ensure the quality of the data before it is put into the databases.



System verification To make sure that geophysical survey equipment is working properly, it is important to have test sites. The national Danish test site for airborne and ground-based TEM instruments is situated west of Aarhus. Testing and calibration of the SkyTEM system is regularly carried out at different altitudes. The results are compared with ground-based TEM measurements in order to ensure a consistently high quality of data collection. (Courtesy: Aarhus University, HydroGeophysics Group)



National pilot study, Thailand In 2011, the Thai Government initiated a pilot study about 350 km north of Bangkok led by the Department of Groundwater Resources. The aim of the study was to map aquifers in a test area of 1000 square kilometres with assistance, knowledge transfer and training in geological modelling contributed by the Danish engineering and software companies EnviDan, SkyTEM Surveys and I-GIS along with GEUS. GEUS also assisted with the supply and implementation of a geophysical database.

A close and professional collaboration between public authorities, universities and consulting companies means that Denmark has developed excellent expertise in sustainable groundwater supply

PETER THOMSEN
Project Manager and Geophysicist
RAMBOLL

The Danish Government has prioritised data security ever since initiating the national groundwater mapping programme in 1998. GEUS Geological Surveys of Denmark and Greenland has established national databases for all geophysical data, data from both pre-existing and new wells, water chemistry and hydraulic data. Uniform standards and guidelines are in place to ensure that the primary data is comparable and quality assured. This is essential for further processing of the data. In addition, databases for the geological and hydrogeological models, and for all reports on groundwater mapping, have been developed. A set of integrated software products, making the data easily available and the data processing uniform, has been developed in Denmark and supports efficiency.

Groundwater: a political priority

Effective use of data is essential for successful groundwater mapping, but interpretation of data alone is not enough. The results of groundwater mapping must eventually be used for the management and protection of aquifers. This requires that groundwater be placed higher on the political agenda and that administrative units, responsible for the future use of mapping results, be designated. Public entities should also be designated to monitor the groundwater resources that have been mapped and ensure that they are protected.



Regional mapping, Malaysia New technology makes it possible to map water and minerals from the air. In Southeast Asia, in Malaysia, airborne technology has been used for very large geophysical surveys of groundwater. These involved flying over 15,000 kilometres (9,000 miles) in 30-40 kilometres (18-25 miles) long parallel tracks, covering an area of 3,000 square kilometres (1,100 square miles). Several Danish companies worked together in order to carry out drilling, down hole logging, water-quality testing, well field design, geological and hydrological modelling. The survey revealed a potential source of 500 million litres of groundwater per day (130 million US gallons). (Courtesy: SkyTEM Surveys and EnviDan International)

4. The benefits of investing in groundwater supply

Groundwater can provide a stable supply of water for industry. If used sustainably, groundwater can contribute positively to economic growth and development

JENS DYRBERG
Project Manager
ENVIDAN INTERNATIONAL

A key argument for using groundwater – besides the obvious argument of there being a shortage of surface water – is that groundwater is better protected from contamination than surface water. The quality is higher and the water requires less treatment. It is important to take care that aquifers do not get contaminated, which can lead to high clean up costs. Otherwise, in many places, using groundwater can be economically beneficial and secure a safe and stable water supply across both public and commercial sectors.

Postponing investments

There are potential financial benefits for water utilities who supplement a water supply based on surface water resources with new groundwater resources. They may be better able to plan long term. They may also be able to postpone major investments in surface water infrastructure, or in assuring a higher level of water security. The treatment process for groundwater is simpler and cheaper compared with that for surface water, and increasing the volume of supply is much easier, since there is no need to build dams.

Addressing the needs of industry

Groundwater mapping and sustainable groundwater management provide better knowledge of the availability of water resources, a critical factor in attracting new companies and industry. Companies can benefit from improved water efficiency, better water quality and supply security. Mines, the food and beverage industries and the agricultural sector often fight over water with other sectors or groups. Groundwater may provide the solution. Moreover, groundwater extraction leaves a smaller footprint on the environment if managed properly. All of the above contribute to boosting economic growth.

Knowledge transfer to local partners

Investment in groundwater mapping and sustainable water management has the additional benefit for local business partners of teaching them new skills. The Danish experience of cooperating with other countries is that knowledge transfer from international experts creates a strong platform for expanding the local water business to other regions.

Avoiding saltwater intrusion, Vietnam Part of the water supply to Ho Chi Minh City in Vietnam comes from groundwater. Since saltwater is present deep down in the aquifers, a project was formed and Danish experts were asked to carry out a geophysical survey using ground-based transient electromagnetic measurement (TEM) to reveal the depth of the freshwater/saltwater interface and avoid intrusion of saltwater into the extraction wells.

(Courtesy: ALECTIA)



Groundwater action plan, Vietnam A key element in the development of a Water Resources Action plan for the 12,300 square kilometre Upper Srepok River Basin in the central highlands of Vietnam was to assess the groundwater resources in the area and to explore the possibility of using groundwater for irrigation and urban water supply. The investigations included geological, hydrogeological and hydrological modelling to 1) evaluate the effect on irrigation demand of changes in crops cultivated in the basin and 2) to assess the safe yield from groundwater resources should higher demand for water in the future be met using groundwater. The Water Resources Action Plan was developed in 1993 - 1994 and updated in 1995 - 1997. It laid the foundation for the Central Highlands becoming a major coffee producer. Implementation of two priority rural development projects 1997 - 2001 were aimed at improving living standards in rural areas in general and among poor and ethnic minority communities in particular. (Courtesy: COWI)



5. Avoiding problems with groundwater

Problems associated with groundwater exploitation can often be resolved with accurate groundwater mapping and sustainable management

FLEMMING PEDERSEN
Head of Department, Geophysicist
ALECTIA


It only takes a few contaminants and/or an unbalanced approach to utilisation for groundwater resources to be damaged forever. Some of the critical issues can be resolved through accurate groundwater mapping, sustainable groundwater management and with integrated management of water resources.

Here are some of the main challenges and how they can be resolved:

- Saltwater intrusion can be avoided by mapping the freshwater and groundwater interface and by revealing previously undetected freshwater aquifers in coastal areas
- Land subsidence in cities is a risk that can be addressed by tapping into groundwater resources outside cities. This ensures that well fields are located in more remote areas or in areas less vulnerable to land subsidence

- Poor water quality can be an issue, even with groundwater. Groundwater mapping means that better decisions can be taken on where and how deep to sink wells, away from pollutants or poor natural chemistry
- Even if previous wells have yielded disappointing results, improved mapping can lead to better well locations, revealing a potential for successful wells
- Poor administration of groundwater resources may have caused severe problems in the past. Better knowledge about aquifers provides the basis for implementing the necessary administrative structure
- If faced with a deteriorating quality in existing wells, groundwater mapping and modelling can improve understanding. It can create a platform for sustainable exploitation of the groundwater resource in the future

Sustainable yield, Denmark The capacity of a water pumping station in Beder in Denmark was originally calculated using traditional hydrogeological analysis of the borehole data, combined with a short-term pumping test. These methods provided an incomplete understanding of the complexity of the aquifer dynamics, and as a result the capacity of the pumping station was overestimated. After pumping began in 1968 the water table fell by over 10 metres and the sulphate concentration increased. Based on advanced geophysical mapping and 3D hydrological modelling the sustainable yield estimate was reduced in 1990 by 35 percent. The water table has now risen to a sustainable level and the sulphate content has stabilised. (Courtesy: GEUS)



6. Groundwater as a part of integrated water resources management

Groundwater can be exploited across large areas to meet local demand and affordability. In a healthy aquifer it can be transported over huge distances free of charge and without evaporation losses. However, balancing recharge against abstraction is essential

ANDERS REFSGAARD
Project and Market Director
COWI

Groundwater is an important part of the hydrological cycle. Groundwater is interconnected with surface water and form one resource; hence groundwater and surface water should be managed together in river catchments. Groundwater use must therefore be evaluated with respect to its impact on both surface water (e.g. wetland and stream depletion) and the aquifer. Also, the risk of salinity intrusion in river deltas and coastal areas increases with groundwater pumping as flow between aquifers and surface water bodies are altered. Groundwater protection and contamination control is closely connected to surface activities and land use management.


Assuring sustainable groundwater use

Making reliable recharge estimates for aquifers requires a geological model and the assessment of distributed hydrogeological properties. It also involves accounting for the interaction between surface water and groundwater. Balancing groundwater recharge against groundwater abstraction is essential to achieving sustainable groundwater use. In water scarce,

arid environments artificial recharge of aquifers at farm scale or at aquifer storage and recovery sites (ASR) may be a feasible solution. However, at the risk of polluting the aquifer unless adequate precautions are taken.

Integrated planning and management

Integrated Water Resources Management, IWRM, is an accepted framework for water planning and water resource management. It encourages a holistic, multi-sector, participatory process focusing on river catchments and shared use of water. Groundwater development and exploitation should be viewed in this overall context. IWRM is a process, which according to Global Water Partnership – a network founded in 1996 to foster integrated water resource management – “promotes the coordinated development and management of water, land, and related resources, in order to maximize the resultant economic and social benefits in an equitable manner without compromising the sustainability of vital ecosystems”. This includes more coordinated development and management of land and water, surface water



Sustainable groundwater development

Illustration of sustainable groundwater management balancing recharge and water use (modified from Hiscock, K.M., Rivett, M.O. & Davison, R.M. 2002, Sustainable Groundwater development).

A growing demand for water from agriculture and industry places stress on freshwater resources. Groundwater exploitation must form part of an integrated water management plan

TORSTEN V. JACOBSEN
Hydrologist, DHI



and groundwater, the river basin and its adjacent coastal, marine environment and upstream and downstream interests. However, integrated water resources management is not just about managing physical resources and developing appropriate management instruments, it is also about (i) creating an enabling environment with supporting policies, legislative framework and attractive financing and incentive structure and (ii) defining institutional roles including creating institutional roles and building organisational capacities. At its simplest, IWRM is a logical and appealing concept. It is based on the idea that the many different uses of water resources are interdependent.

Avoiding an unsustainable approach

In many countries, the need for groundwater has increased in response to overexploitation and contamination of surface water resources. As the groundwater table has fallen, wells have been deepened, leading to continued groundwater mining. Signs of an imbalance and un-

sustainable water use initially become visible in dry years, in the form of dried-out wells, river beds and wetlands. Continued extraction will eventually reach a level from which it will take decades to recover at low natural recharge rates. As the cost of pumping increases with depth, the alternative may be to move well fields to newly developed aquifers and invest in pipelines. The result is often insufficient, inefficient or costly water supply, which has profound impacts on production and livelihood.

Shortfalls, water stress and unreliable supply are likely to become increasingly common with climate change. The higher population pressure underscores the need to address both present problems and future scenarios. Appropriate groundwater management, monitoring and regulation from a solid knowledge base are part of the solution. Acknowledging the integrated nature of water resources will help secure both the resource and any investments in water infrastructure in the long term.



Comprehensive water management Along the coast of Eastern China, between Weifang and Yantai, the water supply from groundwater is under threat. An unsustainable level of pumping has led to severe problems in relation to both the water quantity and quality. This has had a negative impact on both regional economic development and the environment. Progressive intrusion of seawater into the aquifer has been observed during recent decades with elevated salinity concentrations now extending more than 10 km from the coastline. Attempts to artificially increase the groundwater recharge from surface water reservoirs have not effectively pushed back the interface between fresh and saline water. A comprehensive water management project was undertaken and different management scenarios were analysed. Results showed that the salinity intrusion could be counteracted by adjusting recharge and pumping levels by 25 percent of the current levels, thereby avoiding high salinity concentrations at city well fields. In this work the MIKE software developed DHI is an important tool for integrated surface water and groundwater modelling and in assessing groundwater resources and impacts. DHI integrated management modelling concepts was implemented using FEFLOW, MIKE SHE and MIKE11. (Courtesy: DHI)



If your goal is smart and efficient water solutions, Denmark is ready as your partner

Water is an increasingly scarce resource in most parts of the world and we need to re-think how we use it. Denmark holds a long tradition of integrated water management and is committed to take responsibility and contribute to solving the major global water challenges.

A long tradition of sustainable water management

As awareness about sustainable water practices has increased, Denmark has spent the past decades building expertise within water efficiency and water management. Today, our tap water is as pure as the finest spring water, water loss in our pipelines has been reduced to less than 8 percent, wastewater is treated efficiently with a strong focus on energy and resource recovery and the water in our capital's harbour is clean enough to swim in.

The knowledge we have about water resources, security and efficiency is no coincidence. Successive governments have addressed our country's limited natural resources and

the Danish water sector holds a long tradition of water utilities, technology providers, consulting companies and universities working jointly together to promote integrated solutions for efficient and sustainable water management.

A shared water vision for the future

The close collaboration between multiple stakeholders has put Denmark at the forefront of research, technology development, know-how and best-practice in integrated water management, urban drainage, water supply, wastewater treatment as well as governance and ensuring public awareness and support for water policies.

Denmark is prepared to take responsibility in solving the world's major water challenges and has ambitious plans for its water sector. A water vision for 2025 has been created through dialogue between the Danish water sector and the Ministry of Environment and Food with the intention of developing Denmark's position as a water hub for intelligent and efficient water solutions. The aim is to

create solutions which will increase access to clean water and sanitation, promote efficient use of water resources, improve the competitiveness of water consuming industries, lead to a cleaner global environment and protect cities from floods and storm surges.

As a country, we see great opportunity for mutual benefit in the transfer of knowledge and we aim at turning global water challenges into opportunities for sustainable growth.

Explore water solutions online or experience them live in Denmark

We invite you to explore the newest Danish water solutions, policies and news online at www.stateofgreen.com/water. You can also visit Denmark on a State of Green Water Tour where you can experience innovative water solutions first-hand and take advantage of the lessons learned by leading Danish companies and utilities.

For more information about State of Green Water Tours, please visit: www.stateofgreen.com/tours



"Danish water companies, utilities and organisations have shown that by working together, it is possible to create more innovative solutions which lead to added value for both their customers and society as a whole. This is a great example of how Denmark contributes to finding solutions to the major water challenges the world faces"

ESBEN LUNDE LARSEN, Minister for the Environment and Food, DENMARK



Join us in Copenhagen for the IWA World Water Congress & Exhibition in 2020

Denmark is proud to host IWA Congress and Exhibition on 18-23 October 2020. Proposed Congress topics are "Water for smart liveable cities", "Water - Energy - Food Nexus" and "Recruitment and career development in the water sector". The proposed topics address future water challenges all over the world. Before, during and after the conference, a united Danish water sector looks forward to demonstrating smart water technology, system solutions and discussing governance and policy in order to secure resilience in the future in towns, basins and cities around the world.

Read more at www.iwa2020copenhagen.dk

Download this white paper and other related publications at:

www.stateofgreen.com/publications

Consulting companies

Alectia alectia.com
Bonnerup Consult bonnerup.net
COWI cowi.com
EnviDan envidan.com
Gromtmij grontmij.dk
Moe & Brødsgaard moe.dk
Orbicon orbicon.com
NIRAS niras.com
Rambøll ramboll.com
TREDJE NATUR tredjenatur.dk
Øllgaard ollgaard.dk

Technology companies

Adept Water Technology adeptwatertech.com
AKVA group Denmark akvagroup.com
Aquaporin aquaporin.dk
AVK avkvalves.com
Billund Aquaculture billund-aqua.dk
Biokube biokube.com
Blue Control bluecontrol.dk
Danfoss danfoss.com
Danish Rootzone Technology rootzone.dk
EcoBeta ecobeta.com
Envotherm envotherm.com
Freewater freewater.dk
Grundfos grundfos.com
HOH BWT hoh.com
I-GIS i-gis.dk
Kamstrup kamstrup.com
LiqTech International liqtech.com
MJK Automation mjk.com
Mycometer mycometer.com
NOV Flexibles nov.com/fps
Novozymes novozymes.com
OxyGuard International oxyguard.com
PROAGRIA Environment proagria.dk
RK Plast rkbioelements.dk
Scandinavian No-Dig Centre no-dig.dk
Siemens siemens.com/energy/aeration
Silhorko-Eurowater eurowater.com
SkyTEM Surveys skytem.com
Sorbisense sorbisense.com
Stjernholm stjernholm.dk
UltraAqua ultraaqua.com
Wavin wavin.com
Aarhus Geophysics aarhusgeo.com
Per Aarsleff aarsleff.com

Research institutes & demonstration projects

Danish Technological Institute teknologisk.dk
DHI dhigroup.com
Geological Surveys of Denmark and Greenland geus.dk
Kalundborg Industrial Water Demonstration Site symbiosis.dk

Water utilities

Greater Copenhagen Utility hofoor.dk
VCS Denmark vcsdenmark.com
North Water nordvand.dk
Aarhus Water aarhusvand.dk

Organisations related to water

Association of Waterworks in Denmark fvd.dk
AquaCircle aquacircle.org
Copenhagen Cleantech Cluster cphcleantech.com
Confederation of Danish Industry di.dk
Danish Water Technology Group dk-water.com
Danish Water and Wastewater Association danva.dk
Danish Water Forum danishwaterforum.dk
Danish Water Services danishwater.dk
State of Green Consortium stateofgreen.com
Water In Urban Areas Network waterinurbanareas.dk

Governmental bodies & other sponsors

City of Copenhagen kk.dk
Capital Region of Denmark regionh.dk
Danish Trade Council um.dk
Danish Ministry of the Environment mim.dk
Danish Nature Agency naturstyrelsen.dk
The Branding Denmark Fund mfonden.dk